

Маски сварщика, перчатки, одежда

Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(727) 345-47-04

Беларусь +(375) 257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: hvi@nt-rt.ru || сайт: <https://helvi.nt-rt.ru/>

SAFETY

WELDING MASKS

	PART NUMBER	DESCRIPTION	OPTIC CLASS
STORM VISION 4.1 + HELVI BAG XL	99900269	Welding mask with respiartor · 4 Sensors	1 / 1 / 1 / 1
VISION 4.1 + HELMET BAG	21905147K	Welding mask · 4 Sensors	1 / 1 / 1 / 1
SKY 4.0 + HELMET BAG	21905179K	Welding mask · 4 Sensors	1 / 1 / 1 / 2
VISION 2.1 + HELMET BAG	21905100K	Welding mask · 2 Sensors	1 / 1 / 1 / 2
SKY 2.0 + HELMET BAG	21905125K	Welding mask · 2 Sensors	1 / 1 / 1 / 2
MIRAGE	21905182	Manual welding mask · DIN 11	-
HELMET BAG	21905181	Practical bag for welding masks	-

WELDING CLOTHING

	PART NUMBER	DESCRIPTION	AVAILABLE SIZES (European)
JACKET	21905135	Welding jacket	48 - 50 - 52 - 54 - 56
THROUSERS	21905136	Welding throusers	48 - 50 - 52 - 54 - 56
TIG GLOVES	21905133	Professional welding gloves	09 - 10
MIG/MMA GLOVES	21905134	Professional welding gloves	10 - 11
SPLIT LEATHER GLOVES	21905177	Professional welding gloves	One-size-fits-all
APRON	21905176	Welding apron	One-size-fits-all

FUME EXTRACTORS

	PART NUMBER	HOSE TYPE	Ø HOSE	HOSE LENGTH	FILTRATION EFFICIENCY	NOISE LEVEL
PFE	99900320	Flexible	55 mm	2000 mm	99 %	80 dBA
MFE (NO HOSE)	99900321	-	-	-	E12 > 99,5 %	73 dBA
MFE HD (NO HOSE)	99900322	-	-	-	E12 > 99,5 %	73 dBA
BRACCIO ARMOTECH	99900301	Rigid	160 mm	3000 mm	-	-
BRACCIO ARMOFLEX	99900302	Flexible	160 mm	3000 mm	-	-

4 SENSORS · STORM VISION 4.1 + HELVI BAG XL
99900269


Additional filter for INOX welding



Optical Class **1/1/1**
 Filter size **133 x 114 x 9 mm**
 Viewing area **97 x 62 mm**
4 Sensors · Light Shade 3.5
 Darkness Shade **5 - 8 / 9 - 13** variable
 Grinding **YES DIN 4** Fixed
 Protection Adjustment **Internal**, variable shade
 UV/IR Protection up to **DIN 16**
 Switching time from Light to Dark **1/25000s**
 Switching time from Dark to Light **0.05 - 1.0s**
 Sensitivity/Delay **adjustable** by digital control (**10 levels**)
 Power Supply **Solar cells + 2 x CR2450 Lithium batteries**
 ON/OFF: manual ON - Automatic OFF
 Low Battery alarm **YES**, red pilot lamp
 Min Amp/TIG Rating \geq **2A AC - DC**
 True Color filter **YES**


RESPIRATOR TECHNICAL DATA

2 air flow levels: **170 lpm** and **210 lpm**
 Filter efficiency: **99,97%** · Battery life: **9 h (170 lpm)**
 Recharge time: **1 h** · Weight: **1kg** · Approval: **EN12941- TH2t**


TIG · MIG · MMA · PLASMA · GRINDING
SPARE PARTS

EXTERNAL GLASS	21905076	133 x 114 x 1 mm
INTERNAL GLASS	21905079	96,9 x 65,7 x 1 mm
STANDARD BATTERY	21905155	-
EXTENDED BATTERY	21905156	-
EXTERNAL PROTECTION	21905159	-
FILTER PROTECTION	21905158K	(5 pieces KIT)
PARTICULATE FILTER	21905157	-
GAS FILTER	21905161	-

4 SENSORS · VISION 4.1 + HELMET BAG

21905147K



TRUE
COLORS 

Optical Class **1/1/1/1**
 Filter size **133 x 114 x 9 mm**
 Viewing area **97 x 62 mm**
4 Sensors
 Light Shade **3.5**
 Darkness Shade **5 - 8 / 9 - 13** variable
 Grinding **YES DIN 4** Fixed
 Protection Adjustment **Internal**, variable shade
 UV/IR Protection up to **DIN 16**
 Switching time from Light to Dark **1/25000s**
 Switching time from Dark to Light **0.05 - 1.0s**
 Sensitivity/Delay **adjustable** by digital control (**10 levels**)
 Power Supply **Solar cells + 2 x CR2450 Lithium batteries**
 ON/OFF: manual ON - Automatic OFF
 Low Battery alarm **YES**, red pilot lamp
 Min Amp/TIG Rating \geq **2A AC - DC**
 True Color filter **YES**



TIG · MIG · MMA · PLASMA · GRINDING

SPARE PARTS

EXTERNAL GLASS	21905076	133 x 114 x 1 mm
INTERNAL GLASS	21905079	96,9 x 65,7 x 1 mm

4 SENSORS · SKY 4.0 + HELMET BAG

21905179K



TRUE
COLORS 

Optical Class **1/1/1/2**
 Filter size **110 x 90 x 9 mm**
 Viewing area **100 x 53 mm**
4 Sensors
 Light Shade **4**
 Darkness Shade **5 - 8 / 9 - 13** variable
 Grinding **YES DIN 4** Fixed
 Protection Adjustment **External**, variable shade
 UV/IR Protection up to **DIN 16**
 Switching time from Light to Dark **1/25000s**
 Switching time from Dark to Light **0.1 - 1.0s**
 Sensitivity/Delay **adjustable** by infinite knob
 Power Supply **Solar cells + 1 x CR2032 Lithium battery**
 ON/OFF: Automatic
 Low Battery alarm **YES**, red pilot lamp
 Min Amp/TIG Rating \geq **5A AC - DC**
 True Color filter **YES**



TIG · MIG · MMA · PLASMA · GRINDING


SPARE PARTS

EXTERNAL GLASS	21905168	120 x 104 x 1 mm
INTERNAL GLASS	21905169	105,6 x 58 x 0,8 mm

2 SENSORS · VISION 2.1 + HELMET BAG
21905100K

**TRUE
COLORS**


Optical Class **1/1/1/2**
 Filter size **110 x 90 x 9 mm**
 Viewing area **98 x 44 mm**
2 Sensors
 Light Shade **3.5**
 Darkness Shade **9 - 13**
 Grinding **YES**
 Protection Adjustment **Internal**, variable shade
 UV/IR Protection up to **DIN 16**
 Switching time from Light to Dark **1/16000s**
 Switching time from Dark to Light **0.1 - 1.0s**
 Sensitivity/Delay **adjustable** by infinite knob
 Power Supply **Solar cells** and **2 Alkaline AAA batteries**
 ON/OFF Automatic
 Low Battery alarm **YES**, red pilot lamp
 Min Amp/TIG Rating \geq **5A AC - DC**
 True Color filter **YES**


MIG · MMA · PLASMA · GRINDING
SPARE PARTS

EXTERNAL GLASS	21905077	114 x 100 x 1,5 mm
INTERNAL GLASS	21905078	95,9 x 47,2 x 1 mm

2 SENSORS · SKY 2.0 + HELMET BAG
21905125K


Optical Class **1/1/1/2**
 Filter size **110 x 90 x 9 mm**
 Viewing area **98 x 42 mm**
2 Sensors
 Light Shade **4**
 Darkness Shade **9 - 13**
 Grinding **YES**
 Protection Adjustment **External**, variable shade
 UV/IR Protection up to **DIN 16**
 Switching time from Light to Dark **1/25000s**
 Switching time from Dark to Light **0.1 - 1.0s**
 Sensitivity/Delay **adjustable** by infinite knob
 Power Supply **Solar cells** and **1 CR2032 batteries**
 ON/OFF Automatic
 Low Battery alarm **YES**, red pilot lamp
 Min Amp/TIG Rating \geq **10A AC - DC**
 True Color filter **NO**


MIG · MMA · PLASMA · GRINDING
SPARE PARTS


EXTERNAL GLASS	21905128	117 x 104 mm
INTERNAL GLASS	21905129	101 x 49 mm

CONTROLLO MANUALE · MIRAGE
21905182


Filter size **110 x 90 x 5 mm**
 Viewing area **110 x 90 mm**
 Darkness Shade **DIN11**
 Grinding **YES**
 UV/IR Protection up to **DIN 16**


MIG · MMA · PLASMA · GRINDING
SPARE PARTS

EXTERNAL GLASS	21905184	110,5 x 93 mm
INTERNAL GLASS	21905183	110 x 90 x 5 mm

HELMET BAG
21905181




1

2

Protective clothing against heat risks designed specifically for welding.

Made of 100% cotton with permanent treatment PROBAN® flame retardant.

Materials: 100% cotton, weight 340 g/m², FL PROBAN® permanent treatment


Performance was checked after 50 cycles of washing and are still certified the same.

PROBAN® is a technological process of controlled quality which provides fabrics with flame retardant properties suitable for long term use.

PROBAN® fabrics resist regeneration / recycling and dry cleaning processes. Protection against heat risks in different work environments is guaranteed for a long time.



EN ISO 11612
A1 A2 B1 C1 F1



EN ISO 11611
class 1

1 WELDING JACKET



AVAILABLE SIZES

48	50	52	54	56	•
M	M/L	L	XL	XXL	

21905135

2 WELDING TROUSERS



AVAILABLE SIZES

48	50	52	54	56	•
M	M/L	L	XL	XXL	

21905136

3

WELDING GLOVES

FOR TIG WELDING



EN: 388:2016



3122

EN: 407:2004



433X2X

AVAILABLE SIZES

09 · 10

21905133

FOR MIG/MMA WELDING



EN: 388:2016



3122

EN: 407:2004



433X2X

AVAILABLE SIZES

10 · 11

21905134

SPLIT LEATHER FOR WELDING



EN: 388:2016



3222

EN: 407:2004



413X4X

AVAILABLE SIZES

ONE SIZE FITS ALL

21905177

4

WELDING APRON



EN: 388:2016



3222

EN: 407:2004



413X4X

EN ISO 11611:2015



Class 2 A1



AVAILABLE SIZES

ONE SIZE FITS ALL

21905176

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(727) 345-47-04

Беларусь +(375) 257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: hvi@nt-rt.ru || сайт: <https://helvi.nt-rt.ru/>